

2011 Index

The International Arab Journal of Information Technology

Vol. 8

This index covers all papers that appeared in IAJIT during 2011. The author's index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthor's names, the title of the paper, journal abbreviation, month, year, and inclusive pages. The subject's index contains entries describing the item under all appropriate subject headings based on the keywords specified by the authors. Each entry includes the title of the paper, the author's names, journal abbreviation, month, year, and inclusive pages.

Author Index

- Abd Ghani A.**, see Saeid M., *IAJIT January 2011 30-38.*
- Abdel-Wahed W.**, see Mousa H., *IAJIT April 2011 147-154.*
- Abdul-kader H.**, e-learning systems in virtual environment, *IAJIT January 2011 23-29.*
- Abdul-Kader H.**, see Sherif M., *IAJIT January 2011 59-65.*
- Abdullah A.**, see Hassan M., *IAJIT January 2011 99-107.*
- Abdullah M.**, Abuelrub E., and Mahafzah B., the chained-cubic tree interconnection network, *IAJIT July 2011 334-343.*
- Abdullah R.**, see Hezarjaribi y., *IAJIT April 2011 141-146.*
- Abuelrub E.**, see Abdullah M., *IAJIT July 2011 334-343.*
- Aitha N.**, and Srinadas R., a strategy to reduce the control packet load of AODV using weighted rough set model for MANET, *IAJIT January 2011 108-116.*
- Akin Z.**, see Akman I., *IAJIT January 2011 66-74.*
- Akman I.**, Bayindir H., Ozleme S., Akin Z., and Misra S., lossless text compression technique using syllable based morphology, *IAJIT January 2011 66-74.*
- Al Ameen M.**, and Kwak K., social Issues in wireless sensor networks with healthcare perspective, *IAJIT January 2011 52-58.*
- Al nsour A.**, see Muhsen Z., *IAJIT October 2011 383-387.*
- Albarbar A.**, see Kouadri A., *IAJIT July 2011 260-264.*
- Al-Haj A.**, Mohammad A., and Bata L., DWT-based audio watermarking, *IAJIT July 2011 326-333.*
- Alharthi M.**, and Salim S., zest based visualization for requirements negotiation, *IAJIT July 2011 318-325.*
- Ali Q.**, a flexible design of network devices using reconfigurable content addressable memory, *IAJIT July 2011 235-243.*
- Ali S.**, and Madani S., distributed efficient multi hop clustering protocol for mobile sensor networks, *IAJIT July 2011 302-309.*
- Ali S.**, and Madani S., distributed grid based robust clustering protocol for mobile sensor networks, *IAJIT October 2011 414-421.*
- Al-Kabi M.**, see Alsmadi I., *IAJIT April 2011 124-129.*
- Al-Karaki J.**, see Samaneh H., *IAJIT April 2011 212-220.*
- Almukhaizim S.**, see AlQuraishi E., *IAJIT October 2011 388-396.*
- Al-Nasrawi A.**, see El Abbadi N., *IAJIT April 2011 137-140.*
- AlQuraishi E.**, Al-Roomi M., and Almukhaizim S., analysis of the soft error susceptibility and failure rate in logic circuits, *IAJIT October 2011 388-396.*
- Al-Roomi M.**, see AlQuraishi E., *IAJIT October 2011 388-396.*
- Al-sadi J.**, and Awwad A., a new otis-arrangement interconnection network, *IAJIT October 2011 376-382.*
- Al-shrouf F.**, see Turani A., *IAJIT October 2011 372-375.*
- Alsmadi I.**, and Al-Kabi M., GUI structural metrics, *IAJIT April 2011 124-129.*
- Al-Zubaidi R.**, see Duwairi R., *IAJIT July 2011 251-259.*
- Aris H.**, and Salim S., state of component models usage: justifying the need for a component model selection framework, *IAJIT July 2011 310-317.*
- Awajan A.**, multilayer model for Arabic text compression, *IAJIT April 2011 188-196.*
- Awwad A.**, see Al-sadi J., *IAJIT October 2011 376-382.*
- Ayoubi R.**, see Ziade H., *IAJIT April 2011 155-162.*
- Azmi M.**, see Nasir M., *IAJIT April 2011 204-211.*
- Bahadorimehr A.**, see Hezarjaribi y., *IAJIT April 2011 141-146.*
- Bal S.**, see Nath R., *IAJIT July 2011 272-279.*
- Balamurugan v.**, and Kannan S., detection of traffic signal by adaptive approach and shape constraints, *IAJIT October 2011 345-349.*
- Balasubramanian R.**, see Jansirani A., *IAJIT April 2011 117-123.*
- Basci D.**, and Misra S., entropy as a measure of quality of XML schema document, *IAJIT January 2011 75-83.*
- Bata L.**, see Al-Haj A., *IAJIT July 2011 326-333.*
- Bataineh S.**, see Samaneh H., *IAJIT April 2011 212-220.*
- Batri K.**, Muruges V., and Gopalan N., effect of weight assignment in data fusion based information retrieval, *IAJIT July 2011 244-250.*
- Bayindir H.**, see Akman I., *IAJIT January 2011 66-74.*
- Bebah M.**, see Boudlal A., *IAJIT January 2011 91-98.*
- Bedda M.**, see Messikh L., *IAJIT January 2011 48-51.*
- Belahbib R.**, see Boudlal A., *IAJIT January 2011 91-98.*
- Benaissa M.**, and Lebbah Y., a constraint programming based approach to detect ontology inconsistencies, *IAJIT January 2011 1-8.*
- Benmohammed M.**, see Kef M., *IAJIT July 2011 227-234.*
- Benyettou A.**, see Tlemsani R., *IAJIT October 2011 406-413.*
- Bettayeb S.**, see Nguyen Q., *IAJIT July 2011 289-292.*
- Bilal S.**, Madani S., and Khan I., enhanced junction selection mechanism for routing protocol in VANETs, *IAJIT October 2011 422-429.*
- Boudlal A.**, Bebah M., Lakhouaja A., Mazroui A., Meziane A., and Belahbib R., a markovian approach for arabic root extraction, *IAJIT January 2011 91-98.*
- Chergui L.**, see Kef M., *IAJIT July 2011 227-234.*
- Chung T.**, see Rizvi S., *IAJIT January 2011 39-47.*
- Dababneh M.**, see Muhsen Z., *IAJIT October 2011 383-387.*
- Dbouk M.**, see Sbeity I., *IAJIT January 2011 84-90.*
- Duwairi R.**, and Al-Zubaidi R., a hierarchical K-NN classifier for textual data, *IAJIT July 2011 251-259.*
- El Abbadi N.**, Al-Nasrawi A., and Khedhair A., build electronic arabic lexicon, *IAJIT April 2011 137-140.*
- El-Jihad A.**, Yousfi A., and Si-Lhoussain A., morpho-syntactic tagging system based on the patterns words for arabic texts, *IAJIT October 2011 350-354.*
- El-Qawasmeh E.**, Safar M., and Kanan T., investigation of golay code (24, 12, 8) structure in improving search techniques, *IAJIT July 2011 265-271.*
- El-sisi A.**, design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, *IAJIT October 2011 355-363.*
- Eswaran P.**, see Jansirani A., *IAJIT April 2011 117-123.*
- Faez K.**, see Ziaratban M., *IAJIT July 2011 293-301.*
- Fauzi S.**, see Nasir M., *IAJIT April 2011 204-211.*
- Ghobadi A.**, and Rahgozar M., an ontology-based semantic extraction approach for B2C ecommerce, *IAJIT April 2011 163-170.*
- Gopalan N.**, see Batri K., *IAJIT July 2011 244-250.*
- Hadhoud M.**, see Mousa H., *IAJIT April 2011 147-154.*
- Hamidon M.**, see Hezarjaribi y., *IAJIT April 2011 141-146.*
- Hassan M.**, and Abdullah A., a new grid resource discovery framework, *IAJIT January 2011 99-107.*

- Hezarjaribi y.**, Hamidon M., Sidek R., Hossein K., Abdullah R., and Bahadorimehr A., evaluation for diaphragm's deflection for touch mode MEMS pressure sensors, *IAJIT April 2011 141-146*.
- Hossein K.**, see Hezarjaribi y., *IAJIT April 2011 141-146*.
- Idriss T.**, see Ziade H., *IAJIT April 2011 155-162*.
- Jansirani A.**, Rajesh R., Balasubramanian R., and Eswaran P., hi-tech authentication for palette images using digital signature and data hiding, *IAJIT April 2011 117-123*.
- Kaliaperumal B.**, see Krishna B., *IAJIT October 2011 397-405*.
- Kanan T.**, see El-Qawasmeh E., *IAJIT July 2011 265-271*.
- Kannan S.**, see Balamurugan v., *IAJIT October 2011 345-349*.
- Kef M.**, Chergui L., and Benmohammed M., self-organization and topology's control for mobile ad-hoc networks, *IAJIT July 2011 227-234*.
- Khan I.**, see Bilal S., *IAJIT October 2011 422-429*.
- Khan S.**, see Nauman M., *IAJIT October 2011 440-448*.
- Khdhair A.**, see El Abbadi N., *IAJIT April 2011 137-140*.
- Kouadri A.**, Zemat M., and Albarbar A., prediction of boiler output variables through the PLS linear regression technique, *IAJIT July 2011 260-264*.
- Krishna B.**, and Kaliaperumal B., efficient genetic-wrapper algorithm based data mining for feature subset selection in a power quality pattern recognition application, *IAJIT October 2011 397-405*.
- Kwak K.**, see Al Ameen M., *IAJIT January 2011 52-58*.
- Kwak K.**, see Nessa A., *IAJIT January 2011 9-15*.
- Lakhouaja A.**, see Boudlal A., *IAJIT January 2011 91-98*.
- Lebbah Y.**, see Benaissa M., *IAJIT January 2011 1-8*.
- Madani S.**, see Ali S., *IAJIT July 2011 302-309*.
- Madani S.**, see Ali S., *IAJIT October 2011 414-421*.
- Madani S.**, see Bilal S., *IAJIT October 2011 422-429*.
- Mahafzah B.**, see Abdullah M., *IAJIT July 2011 334-343*.
- Mansour N.**, see Salameh M., *IAJIT April 2011 171-177*.
- Mazroui A.**, see Boudlal A., *IAJIT January 2011 91-98*.
- Messikh L.**, and Bedda M., binary phoneme classification using fixed and adaptive segment-based neural network approach, *IAJIT January 2011 48-51*.
- Meziane A.**, see Boudlal A., *IAJIT January 2011 91-98*.
- Misra S.**, see Akman I., *IAJIT January 2011 66-74*.
- Misra S.**, see Basci D., *IAJIT January 2011 75-83*.
- Mohamad D.**, see Salam M., *IAJIT October 2011 364-371*.
- Mohammad A.**, see Al-Haj A., *IAJIT July 2011 326-333*.
- Mousa A.**, speech segmentation in synthesized speech morphing using pitch shifting, *IAJIT April 2011 221-226*.
- Mousa H.**, Moustafa K., Abdel-Wahed W., and Hadhoud M., data hiding based on contrast mapping using DNA medium, *IAJIT April 2011 147-154*.
- Moustafa K.**, see Mousa H., *IAJIT April 2011 147-154*.
- Muhammad G.**, extended average magnitude difference function based pitch detection, *IAJIT April 2011 197-203*.
- Muhsen Z.**, Dababneh M., and Al nsour A., wavelet and optimal requantization methodology for lossy fingerprint compression, *IAJIT October 2011 383-387*.
- Murugesh V.**, see Batri K., *IAJIT July 2011 244-250*.
- Nasir M.**, Norman A., Fauzi S., and Azmi M., an RFID-based validation system for halal food, *IAJIT April 2011 204-211*.
- Nath R.**, and Bal S., a novel mobile crawler system based on filtering off non-modified pages for reducing load on the network, *IAJIT July 2011 272-279*.
- Nauman M.**, and Khan S., design and implementation of a fine-grained resource usage model for the android platform, *IAJIT October 2011 440-448*.
- Nessa A.**, Yang Q., and Kwak K., performance analysis of two-hop cooperative MIMO transmission with best relay selection in rayleigh fading channel, *IAJIT January 2011 9-15*.
- Nguyen Q.**, and Bettayeb S., on the genus of pancake network, *IAJIT July 2011 289-292*.
- Norman A.**, see Nasir M., *IAJIT April 2011 204-211*.
- Nouali O.**, Taboudjemat N., and Toursel B., cognitive filtering of textual information agents based implementation, *IAJIT July 2011 280-288*.
- Othman M.**, see Saif A., *IAJIT January 2011 16-22*.
- Ozleme S.**, see Akman I., *IAJIT January 2011 66-74*.
- Plateau B.**, see Sbeity I., *IAJIT January 2011 84-90*.
- Rahgozar M.**, see Ghobadi A., *IAJIT April 2011 163-170*.
- Rajesh R.**, see Jansirani A., *IAJIT April 2011 117-123*.
- Rizvi S.**, and Chung T., AMI: an advanced endurance management technique for flash memory storage systems, *IAJIT January 2011 39-47*.
- Saeid M.**, Abd Ghani A., and Selamat H., rank-order weighting of web attributes for website evaluation, *IAJIT January 2011 30-38*.
- Safar M.**, see El-Qawasmeh E., *IAJIT July 2011 265-271*.
- Saif A.**, and Othman M., network load and packet loss optimization during handoff using multi-scan approach, *IAJIT January 2011 16-22*.
- Salam M.**, Mohamad D., and Salleh S., malay isolated speech recognition using neural network: a work in finding number of hidden nodes and learning parameters, *IAJIT October 2011 364-371*.
- Salameh M.**, Zantout R., and Mansour N., improving the accuracy of english-arabic statistical sentence alignment, *IAJIT April 2011 171-177*.
- Salim S.**, see Alharthi M., *IAJIT July 2011 318-325*.
- Salim S.**, see Aris H., *IAJIT July 2011 310-317*.
- Salleh S.**, see Salam M., *IAJIT October 2011 364-371*.
- Samaneh H.**, Al-Karaki J., and Bataneh S., an end-to-end support for short-lived TCP flows in heterogeneous wired-cum-wireless networks: an analytical study, *IAJIT April 2011 212-220*.
- Sbeity I.**, Dbouk M., and Plateau B., stochastic bounds for microprocessor systems availability, *IAJIT January 2011 84-90*.
- Selamat H.**, see Saeid M., *IAJIT January 2011 30-38*.
- Shahnaz R.**, and Usman A., blocked-based sparse matrix-vector multiplication on distributed memory parallel computers, *IAJIT April 2011 130-136*.
- Sherif M.**, and Abdul-Kader H., novel robust multilevel 3D visualization technique for web based GIS, *IAJIT January 2011 59-65*.
- Sidek R.**, see Hezarjaribi y., *IAJIT April 2011 141-146*.
- Si-Lhoussain A.**, see El-Jihad A., *IAJIT October 2011 350-354*.
- Srinadas R.**, see Aitha N., *IAJIT January 2011 108-116*.
- Taboudjemat N.**, see Nouali O., *IAJIT July 2011 280-288*.
- Tlemsani R.**, and Benyettou A., on line isolated characters recognition using dynamic bayesian networks, *IAJIT October 2011 406-413*.
- Toursel B.**, see Nouali O., *IAJIT July 2011 280-288*.
- Turani A.**, and Al-shrouf F., intelligent e-learning framework for practicing educational testing services, *IAJIT October 2011 372-375*.
- Usman A.**, see Shahnaz R., *IAJIT April 2011 130-136*.
- Valles-Barajas F.**, a survey of high-level programming languages in control systems, *IAJIT April 2011 178-187*.
- Velazco R.**, see Ziade H., *IAJIT April 2011 155-162*.
- Wu S.**, and Zhu Y., improved two-factor authenticated key exchange protocol, *IAJIT October 2011 430-439*.
- Yang Q.**, see Nessa A., *IAJIT January 2011 9-15*.
- Yousfi A.**, see El-Jihad A., *IAJIT October 2011 350-354*.
- Zantout R.**, see Salameh M., *IAJIT April 2011 171-177*.
- Zemat M.**, see Kouadri A., *IAJIT July 2011 260-264*.
- Zhu Y.**, see Wu S., *IAJIT October 2011 430-439*.
- Ziade H.**, Idriss T., Ayoubi R., and Velazco R., a new fault injection approach to study the impact of bitflips in the configuration of SRAM-based FPGAs, *IAJIT April 2011 155-162*.
- Ziaratban M.**, and Faez K., detection and compensation of undesirable discontinuities within the farsi/arabic subwords, *IAJIT July 2011 293-301*.

Subject Index

9/7 filter

wavelet and optimal requantization methodology for lossy fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387*.

Acceptance

an RFID-based validation system for halal food, Nasir M., +, *IAJIT April 2011 204-211*.

Ad hoc networks

distributed grid based robust clustering protocol for mobile sensor networks, Ali S., +, *IAJIT October 2011 414-421*.

Adaptive control systems

a survey of high-level programming languages in control systems, Valles-Barajas F., *IAJIT April 2011 178-187*.

Adaptive threshold

detection of traffic signal by adaptive approach and shape constraints, Balamurugan V., +, *IAJIT October 2011 345-349*.

Ad-hoc networks

self-organization and topology's control for mobile ad-hoc networks, Kef M., +, *IAJIT July 2011 227-234*.

Al farahidy

build electronic arabic lexicon, El Abbadi N., +, *IAJIT April 2011 137-140*.

Algorithm

lossless text compression technique using syllable based morphology, Akman I., +, *IAJIT January 2011 66-74*.

AMDF

extended average magnitude difference function (EAMDF) based pitch detection, Muhammad G., *IAJIT April 2011 197-203*.

Amplify and forward

performance analysis of two-hop cooperative MIMO transmission with best relay selection in rayleigh fading channel, Nessa A., +, *IAJIT January 2011 9-15*.

And predicted residual sum of squares.

prediction of boiler output variables through the PLS linear regression technique, Kouadri A., +, *IAJIT July 2011 260-264*.

Android

design and implementation of a fine-grained resource usage model for the android platform, Nauman M., +, *IAJIT October 2011 440-448*.

AODV

a strategy to reduce the control packet load of AODV using weighted rough set model for MANET, Aitha N., +, *IAJIT January 2011 108-116*.

Arabic language

multilayer model for Arabic text compression, Awajan A., *IAJIT April 2011 188-196*.

Arabic lexicon

build electronic arabic lexicon, El Abbadi N., +, *IAJIT April 2011 137-140*.

Arabic NLP

a markovian approach for arabic root extraction, Boudlal A., +, *IAJIT January 2011 91-98*.

Arabic text

morpho-syntactic tagging system based on the patterns words for arabic texts, El-Jihad A., +, *IAJIT October 2011 350-354*.

Arrangement network

a new otis-arrangement interconnection network, Al-sadi J., +, *IAJIT October 2011 376-382*.

Attribute weighting

rank-order weighting of web attributes for website evaluation, Saeid M., +, *IAJIT January 2011 30-38*.

Audio watermarking

DWT-based audio watermarking, Al-Haj A., +, *IAJIT July 2011 326-333*.

Authenticated key exchange

improved two-factor authenticated key exchange protocol, Wu S., +, *IAJIT October 2011 430-439*.

Automatic identification

an RFID-based validation system for halal food, Nasir M., +, *IAJIT April 2011 204-211*.

Auto-organization

self-organization and topology's control for mobile ad-hoc networks, Kef M., +, *IAJIT July 2011 227-234*.

Availability

stochastic bounds for microprocessor systems availability, Sbeity I., +, *IAJIT January 2011 84-90*.

Binary hypercube

on the genus of pancake network, Nguyen Q., +, *IAJIT July 2011 289-292*.

Binary phoneme classification

binary phoneme classification using fixed and adaptive segment-based neural network approach, Messikh L., +, *IAJIT January 2011 48-51*.

Biometric

design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, El-sisi A., *IAJIT October 2011 355-363*.

Bit error rate

performance analysis of two-hop cooperative MIMO transmission with best relay selection in rayleigh fading channel, Nessa A., +, *IAJIT January 2011 9-15*.

Block-based compressed storage

blocked-based sparse matrix-vector multiplication on distributed memory parallel computers, Shahnaz R., +, *IAJIT April 2011 130-136*.

Capacitive pressure sensor

evaluation for diaphragm's deflection for touch mode MEMS pressure sensors, Hezarjaribi Y., +, *IAJIT April 2011 141-146*.

Category representatives.

a hierarchical K-NN classifier for textual data, Duwairi R., +, *IAJIT July 2011 251-259*.

Cayley graph

on the genus of pancake network, Nguyen Q., +, *IAJIT July 2011 289-292*.

Chained-cubic tree

the chained-cubic tree interconnection network, Abdullah M., +, *IAJIT July 2011 334-343*.

Circular diaphragm

evaluation for diaphragm's deflection for touch mode MEMS pressure sensors, Hezarjaribi Y., +, *IAJIT April 2011 141-146*.

Clustering

distributed grid based robust clustering protocol for mobile sensor networks, Ali S., +, *IAJIT October 2011 414-421*.

distributed efficient multi hop clustering protocol for mobile sensor networks, Ali S., +, *IAJIT July 2011 302-309*.

Color-mapping function

hi-tech authentication for palette images using digital signature and data hiding, Jansirani A., +, *IAJIT April 2011 117-123*.

Compensation

detection and compensation of undesirable discontinuities within the farsi/arabic subwords, Ziaratban M., +, *IAJIT July 2011 293-301*.

Complexity metric

entropy as a measure of quality of XML schema document, Baski D., +, *IAJIT January 2011 75-83*.

Component model review

state of component models usage: justifying the need for a component model selection framework, Aris H., +, *IAJIT July 2011 310-317*.

Component model selection

state of component models usage: justifying the need for a component model selection framework, Aris H., +, *IAJIT July 2011 310-317*.

Component model state

state of component models usage: justifying the need for a component model selection framework, Aris H., +, *IAJIT July 2011 310-317*.

Component model survey

state of component models usage: justifying the need for a component model selection framework, Aris H., +, *IAJIT July 2011 310-317*.

Component model usage

state of component models usage: justifying the need for a component model selection framework, Aris H., +, *IAJIT July 2011 310-317*.

Compressed storage formats

blocked-based sparse matrix-vector multiplication on distributed memory parallel computers, Shahnaz R., +, *IAJIT April 2011 130-136*.

Consistency checking

a constraint programming based approach to detect ontology inconsistencies, Benaissa M., +, *IAJIT January 2011 1-8*.

Constraint programming

a constraint programming based approach to detect ontology inconsistencies, Benaissa M., +, *IAJIT January 2011 1-8*.

Constraints

design and implementation of a fine-grained resource usage model for the android platform, Nauman M., +, *IAJIT October 2011 440-448*.

Consumer electronics

AMI: an advanced endurance management technique for flash memory storage systems, Rizvi S., +, *IAJIT January 2011 39-47*.

Content addressable memory

a flexible design of network devices using reconfigurable content addressable memory, Ali Q., *IAJIT July 2011 235-243*.

Contour

detection of traffic signal by adaptive approach and shape constraints, Balamurugan V., +, *IAJIT October 2011 345-349*.

Copyright protection

DWT-based audio watermarking, Al-Haj A., +, *IAJIT July 2011 326-333*.

Covariance

prediction of boiler output variables through the PLS linear regression technique, Kouadri A., +, *IAJIT July 2011 260-264*.

Cubic polynomial curve fitting

detection and compensation of undesirable discontinuities within the farsi/arabic subwords, Ziaratban M., +, *IAJIT July 2011 293-301*.

Data fusion

effect of weight assignment in data fusion based information retrieval, Batri K., +, *IAJIT July 2011 244-250*.

Data hiding

hi-tech authentication for palette images using digital signature and data hiding, Jansirani A., +, *IAJIT April 2011 117-123*.

Data mining

efficient genetic-wrapper algorithm based data mining for feature subset selection in a power quality pattern recognition application, Krishna B., +, *IAJIT October 2011 397-405*.

Data organization

AMI: an advanced endurance management technique for flash memory storage systems, Rizvi S., +, *IAJIT January 2011 39-47*.

Decode-and-forward

performance analysis of two-hop cooperative MIMO transmission with best relay selection in rayleigh fading channel, Nessa A., +, *IAJIT January 2011 9-15*.

Detection

detection and compensation of undesirable discontinuities within the farsi/arabic subwords, Ziaratban M., +, *IAJIT July 2011 293-301*.

detection of traffic signal by adaptive approach and shape constraints, Balamurugan V., +, *IAJIT October 2011 345-349*.

Dictionary

build electronic arabic lexicon, El Abbadi N., +, *IAJIT April 2011 137-140*.

Digital signature

hi-tech authentication for palette images using digital signature and data hiding, Jansirani A., +, *IAJIT April 2011 117-123*.

Discrete wavelet transform

DWT-based audio watermarking, Al-Haj A., +, *IAJIT July 2011 326-333*.

Distance learning

e-learning systems in virtual environment, Abdul-kader H., *IAJIT January 2011 23-29*.

Distortion

investigation of golay code (24, 12, 8) structure in improving search techniques, El-Qawasmeh E., +, *IAJIT July 2011 265-271*.

Distributed routing protocol

distributed efficient multi hop clustering protocol for mobile sensor networks, Ali S., +, *IAJIT July 2011 302-309*.

Disturbance recognition

efficient genetic-wrapper algorithm based data mining for feature subset selection in a power quality pattern recognition application in a power quality pattern recognition application, Krishna B., +, *IAJIT October 2011 397-405*.

DNA

data hiding based on contrast mapping using DNA medium, Mousa H., +, *IAJIT April 2011 147-154*.

Dynamic bayesian network

on line isolated characters recognition using dynamic bayesian networks, Tlemsani R., +, *IAJIT October 2011 406-413*.

EAMDF

extended average magnitude difference function (EAMDF) based pitch detection, Muhammad G., *IAJIT April 2011 197-203*.

E-learning

e-learning systems in virtual environment, Abdul-kader H., *IAJIT January 2011 23-29*.

Elliptic curve cryptography

hi-tech authentication for palette images using digital signature and data hiding, Jansirani A., +, *IAJIT April 2011 117-123*.

Embedded systems

AMI: an advanced endurance management technique for flash memory storage systems, Rizvi S., +, *IAJIT January 2011 39-47*.

Endurance management

AMI: an advanced endurance management technique for flash memory storage systems, Rizvi S., +, *IAJIT January 2011 39-47*.

Enhancement

design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, El-sisi A., *IAJIT October 2011 355-363*.

Entropy

entropy as a measure of quality of XML schema document, Baski D., +, *IAJIT January 2011 75-83*.

Farsi/arabic subword

detection and compensation of undesirable discontinuities within the farsi/arabic subwords, Ziaratban M., +, *IAJIT July 2011 293-301*.

Fault injection techniques

a new fault injection approach to study the impact of bitflips in the configuration of SRAM-based FPGAs, Ziade H., +, *IAJIT April 2011 155-162*.

Fault tolerance

a new fault injection approach to study the impact of bitflips in the configuration of SRAM-based FPGAs, Ziade H., +, *IAJIT April 2011 155-162*.

FEA

evaluation for diaphragm's deflection for touch mode MEMS pressure sensors, Hezarjaribi Y., +, *IAJIT April 2011 141-146*.

Feature selection

efficient genetic-wrapper algorithm based data mining for feature subset selection in a power quality pattern recognition application in a power quality pattern recognition application, Krishna B., +, *IAJIT October 2011 397-405*.

Filtering

a constraint programming based approach to detect ontology inconsistencies, Benaissa M., +, *IAJIT January 2011 1-8*.

Filtering criteria

cognitive filtering of textual information agents based implementation, Nouali O., +, *IAJIT July 2011 280-288*.

Fingerprint

design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, El-sisi A., *IAJIT October 2011 355-363*.

wavelet and optimal requantization methodology for lossy

fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387*.

Food industry

an RFID-based validation system for halal food, Nasir M., +, *IAJIT April 2011 204-211*.

FPGA

a new fault injection approach to study the impact of bitflips in the configuration of SRAM-based FPGAs, Ziade H., +, *IAJIT April 2011 155-162*.

a flexible design of network devices using reconfigurable content addressable memory, Ali Q., *IAJIT July 2011 235-243*.

Function pointers

a survey of high-level programming languages in control systems, Valles-Barajas F., *IAJIT April 2011 178-187*.

Gabor filter

design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, El-sisi A., *IAJIT October 2011 355-363*.

General VQ

wavelet and optimal requantization methodology for lossy fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387*.

Genetic algorithm

efficient genetic-wrapper algorithm based data mining for feature subset selection in a power quality pattern recognition application in a power quality pattern recognition application, Krishna B., +, *IAJIT October 2011 397-405*.

Genus

on the genus of pancake network, Nguyen Q., +, *IAJIT July 2011 289-292*.

Geographic information systems

novel robust multilevel 3D visualization technique for web based GIS, Sherif M., +, *IAJIT January 2011 59-65*.

Geometric modeling

novel robust multilevel 3D visualization technique for web based GIS, Sherif M., +, *IAJIT January 2011 59-65*.

Golay code

investigation of golay code (24, 12, 8) structure in improving search techniques, El-Qawasmeh E., +, *IAJIT July 2011 265-271*.

Greedy forwarding

enhanced junction selection mechanism for routing protocol in VANETs, Bilal S., +, *IAJIT October 2011 422-429*.

Grid computing

a new grid resource discovery framework, Hassan M., +, *IAJIT January 2011 99-107*.

Groupware

zest based visualization for requirements negotiation, Alharthi M., +, *IAJIT July 2011 318-325*.

GUI metrics

GUI structural metrics, Alsmadi I., +, *IAJIT April 2011 124-129*.

Handoff

network load and packet loss optimization during handoff using multi-scan approach, Saif A., +, *IAJIT January 2011 16-22*.

Harsh environment

evaluation for diaphragm's deflection for touch mode MEMS pressure sensors, Hezarjaribi Y., +, *IAJIT April 2011 141-146*.

Hash function

build electronic arabic lexicon, El Abbadi N., +, *IAJIT April 2011 137-140*.

Hashing

investigation of golay code (24, 12, 8) structure in improving search techniques, El-Qawasmeh E., +, *IAJIT July 2011 265-271*.

Healthcare systems

social Issues in wireless sensor networks with healthcare perspective, Al Ameen M., +, *IAJIT January 2011 52-58*.

Hidden markov model

morpho-syntactic tagging system based on the patterns words for arabic texts, El-Jihad A., +, *IAJIT October 2011 350-354*.

Hidden Markov models

a markovian approach for arabic root extraction, Boudlal A., +, *IAJIT January 2011 91-98*.

Hierarchical classifiers

a hierarchical K-NN classifier for textual data, Duwairi R., +, *IAJIT July 2011 251-259*.

Hypercube

the chained-cubic tree interconnection network, Abdullah M., +, *IAJIT July 2011 334-343*.

Identification system

design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, El-sisi A., *IAJIT October 2011 355-363*.

Image statistics

detection of traffic signal by adaptive approach and shape constraints, Balamurugan V., +, *IAJIT October 2011 345-349*.

Imperceptibility

DWT-based audio watermarking, Al-Haj A., +, *IAJIT July 2011 326-333*.

Information filtering

cognitive filtering of textual information agents based implementation, Nouali O., +, *IAJIT July 2011 280-288*.

effect of weight assignment in data fusion based information retrieval, Batri K., +, *IAJIT July 2011 244-250*.

Information retrieval

investigation of golay code (24, 12, 8) structure in improving search techniques, El-Qawasmeh E., +, *IAJIT July 2011 265-271*.

Intelligent agent

a new grid resource discovery framework, Hassan M., +, *IAJIT January 2011 99-107*.

Intelligent control

a survey of high-level programming languages in control systems, Valles-Barajas F., *IAJIT April 2011 178-187*.

Intelligent e-learning

intelligent e-learning framework for practicing educational testing services, Turani A., +, *IAJIT October 2011 372-375*.

Interconnection network

the chained-cubic tree interconnection network, Abdullah M., +, *IAJIT July 2011 334-343*.

Interconnection networks

a new otis-arrangement interconnection network, Al-sadi J., +, *IAJIT October 2011 376-382*.

Interface usability

GUI structural metrics, Alsmadi I., +, *IAJIT April 2011 124-129*.

Internet traffic

a novel mobile crawler system based on filtering off non-modified pages for reducing load on the network, Nath R., +, *IAJIT July 2011 272-279*.

Irreducibility

stochastic bounds for microprocessor systems availability, Sbeity I., +, *IAJIT January 2011 84-90*.

Kalman filter

a survey of high-level programming languages in control systems, Valles-Barajas F., *IAJIT April 2011 178-187*.

Karatsuba multiplication

hi-tech authentication for palette images using digital signature and data hiding, Jansirani A., +, *IAJIT April 2011 117-123*.

K-NN

a hierarchical K-NN classifier for textual data, Duwairi R., +, *IAJIT July 2011 251-259*.

Layout complexity

GUI structural metrics, Alsmadi I., +, *IAJIT April 2011 124-129*.

Learning parameters

malay isolated speech recognition using neural network: a work in finding number of hidden nodes and learning parameters, Salam M., +, *IAJIT October 2011 364-371*.

Legal issues

social Issues in wireless sensor networks with healthcare perspective, Al Ameen M., +, *IAJIT January 2011 52-58*.

Linear prediction

speech segmentation in synthesized speech morphing using pitch shifting, Mousa A., *IAJIT April 2011 221-226*.

Linguistic agents

cognitive filtering of textual information agents based implementation, Nouali O., +, *IAJIT July 2011 280-288*.

Locality of matrix

blocked-based sparse matrix-vector multiplication on distributed memory parallel computers, Shahnaz R., +, *IAJIT April 2011 130-136*.

Machine learning

cognitive filtering of textual information agents based implementation, Nouali O., +, *IAJIT July 2011 280-288*.

Maintainability

entropy as a measure of quality of XML schema document, Baski D., +, *IAJIT January 2011 75-83*.

Malaysia

an RFID-based validation system for halal food, Nasir M., +, *IAJIT April 2011 204-211*.

Markov chain

stochastic bounds for microprocessor systems availability, Sbeity I., +, *IAJIT January 2011 84-90*.

Matrix-vector product

blocked-based sparse matrix-vector multiplication on distributed memory parallel computers, Shahnaz R., +, *IAJIT April 2011 130-136*.

Memory management

AMI: an advanced endurance management technique for flash memory storage systems, Rizvi S., +, *IAJIT January 2011 39-47*.

MEMS

evaluation for diaphragm's deflection for touch mode MEMS pressure sensors, Hezarjaribi Y., +, *IAJIT April 2011 141-146*.

Minutiae extraction

design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, El-sisi A., *IAJIT October 2011 355-363*.

Mobile crawler

a novel mobile crawler system based on filtering off non-modified pages for reducing load on the network, Nath R., +, *IAJIT July 2011 272-279*.

Mobile e-learning

intelligent e-learning framework for practicing educational testing services, Turani A., +, *IAJIT October 2011 372-375*.

Mobile platforms

design and implementation of a fine-grained resource usage model for the android platform, Nauman M., +, *IAJIT October 2011 440-448*.

Mobile wireless sensor networks

distributed efficient multi hop clustering protocol for mobile sensor networks, Ali S., +, *IAJIT July 2011 302-309*.

Mobility

distributed efficient multi hop clustering protocol for mobile sensor networks, Ali S., +, *IAJIT July 2011 302-309*.

distributed grid based robust clustering protocol for mobile sensor networks, Ali S., +, *IAJIT October 2011 414-421*.

Morphological analysis

a markovian approach for arabic root extraction, Boudlal A., +, *IAJIT January 2011 91-98*.

multilayer model for Arabic text compression, Awajan A., *IAJIT April 2011 188-196*.

Morphological opening

detection of traffic signal by adaptive approach and shape constraints, Balamurugan V., +, *IAJIT October 2011 345-349*.

Morpho-syntactic tagging

morpho-syntactic tagging system based on the patterns words for arabic texts, El-Jihad A., +, *IAJIT October 2011 350-354*.

Multilayer based compression

multilayer model for Arabic text compression, Awajan A., *IAJIT April 2011 188-196*.

Multimedia

DWT-based audio watermarking, Al-Haj A., +, *IAJIT July 2011 326-333*.

Multiple input multiple output

performance analysis of two-hop cooperative MIMO transmission with best relay selection in rayleigh fading channel, Nessa A., +, *IAJIT January 2011 9-15*.

Multiprocessor system

stochastic bounds for microprocessor systems availability, Sbeity I., +, *IAJIT January 2011 84-90*.

Multi-scan

network load and packet loss optimization during handoff using multi-scan approach, Saif A., +, *IAJIT January 2011 16-22*.

Multi-syllabic languages

lossless text compression technique using syllable based morphology, Akman I., +, *IAJIT January 2011 66-74*.

Network overhead

network load and packet loss optimization during handoff using multi-scan approach, Saif A., +, *IAJIT January 2011 16-22*.

Network resources

a novel mobile crawler system based on filtering off non-modified pages for reducing load on the network, Nath R., +, *IAJIT July 2011 272-279*.

Network security devices

a flexible design of network devices using reconfigurable content addressable memory, Ali Q., *IAJIT July 2011 235-243*.

Neural network

binary phoneme classification using fixed and adaptive segment-based neural network approach, Messikh L., +, *IAJIT January 2011 48-51*.

malay isolated speech recognition using neural network: a work in finding number of hidden nodes and learning parameters, Salam M., +, *IAJIT October 2011 364-371*.

Noise robust

extended average magnitude difference function (EAMDF) based pitch detection, Muhammad G., *IAJIT April 2011 197-203*.

Object-oriented programming

a survey of high-level programming languages in control systems, Valles-Barajas F., *IAJIT April 2011 178-187*.

Octrees

novel robust multilevel 3D visualization technique for web based GIS, Sherif M., +, *IAJIT January 2011 59-65*.

On line isolated character recognition

on line isolated characters recognition using dynamic bayesian networks, Tlemsani R., +, *IAJIT October 2011 406-413*.

Ontologies

a constraint programming based approach to detect ontology inconsistencies, Benaissa M., +, *IAJIT January 2011 1-8*.

Ontology

a new grid resource discovery framework, Hassan M., +, *IAJIT January 2011 99-107*.

an ontology-based semantic extraction approach for B2C ecommerce, Ghobadi A., +, *IAJIT April 2011 163-170*.

Ontology evolution

a constraint programming based approach to detect ontology inconsistencies, Benaissa M., +, *IAJIT January 2011 1-8*.

Optimal VQ

wavelet and optimal requantization methodology for lossy fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387*.

OTIS-networks

a new otis-arrangement interconnection network, Al-sadi J., +, *IAJIT October 2011 376-382*.

Packet loss

network load and packet loss optimization during handoff using multi-scan approach, Saif A., +, *IAJIT January 2011 16-22*.

Palette image

hi-tech authentication for palette images using digital signature and data hiding, Jansirani A., +, *IAJIT April 2011 117-123*.

Pancake network

on the genus of pancake network, Nguyen Q., +, *IAJIT July 2011 289-292*.

Parallel and distributed systems

a new otis-arrangement interconnection network, Al-sadi J., +, *IAJIT October 2011 376-382*.

Parallel corpora

improving the accuracy of english-arabic statistical sentence alignment, Salameh M., +, *IAJIT April 2011 171-177*.

Parallel matrix computation

blocked-based sparse matrix-vector multiplication on distributed memory parallel computers, Shahnaz R., +, *IAJIT April 2011 130-136*.

Partial least square

prediction of boiler output variables through the PLS linear regression technique, Kouadri A., +, *IAJIT July 2011 260-264*.

Password

improved two-factor authenticated key exchange protocol, Wu S., +, *IAJIT October 2011 430-439*.

Pattern

morpho-syntactic tagging system based on the patterns words for arabic texts, El-Jihad A., +, *IAJIT October 2011 350-354*.

Pattern recognition

on line isolated characters recognition using dynamic bayesian networks, Tlemsani R., +, *IAJIT October 2011 406-413*.

Peer-to-peer networks

a new grid resource discovery framework, Hassan M., +, *IAJIT January 2011 99-107*.

Permutation

on the genus of pancake network, Nguyen Q., +, *IAJIT July 2011 289-292*.

Pitch detection

extended average magnitude difference function (EAMDF) based pitch detection, Muhammad G., *IAJIT April 2011 197-203*.

speech segmentation in synthesized speech morphing using pitch shifting, Mousa A., *IAJIT April 2011 221-226*.

Policy framework

design and implementation of a fine-grained resource usage model for the android platform, Nauman M., +, *IAJIT October 2011 440-448*.

Polymorphism

a survey of high-level programming languages in control systems, Valles-Barajas F., *IAJIT April 2011 178-187*.

Position based routing

enhanced junction selection mechanism for routing protocol in VANETs, Bilal S., +, *IAJIT October 2011 422-429*.

Power quality

efficient genetic-wrapper algorithm based data mining for feature subset selection in a power quality pattern recognition application in a power quality pattern recognition application, Krishna B., +, *IAJIT October 2011 397-405*.

Prefix reversal

on the genus of pancake network, Nguyen Q., +, *IAJIT July 2011 289-292*.

Principal component analysis

prediction of boiler output variables through the PLS linear regression technique, Kouadri A., +, *IAJIT July 2011 260-264*.

Principal component regression

prediction of boiler output variables through the PLS linear regression technique, Kouadri A., +, *IAJIT July 2011 260-264*.

Privacy

social issues in wireless sensor networks with healthcare perspective, Al Ameen M., +, *IAJIT January 2011 52-58*.

Probability density function

performance analysis of two-hop cooperative MIMO transmission with best relay selection in rayleigh fading channel, Nessa A., +, *IAJIT January 2011 9-15*.

Radio frequency identification

an RFID-based validation system for halal food, Nasir M., +, *IAJIT April 2011 204-211*.

RCM

data hiding based on contrast mapping using DNA medium, Mousa H., +, *IAJIT April 2011 147-154*.

Reflective learning and teaching

end-to-end support for short-lived TCP flows in heterogeneous wired-cum-wireless networks: an analytical study, Samaneh H., +, *IAJIT April 2011 212-220*.

wavelet and optimal requantization methodology for lossy fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387*.

Relevance score

effect of weight assignment in data fusion based information retrieval, Batri K., +, *IAJIT July 2011 244-250*.

Requirements negotiation

zest based visualization for requirements negotiation, Alharthi M., +, *IAJIT July 2011 318-325*.

Robustness

DWT-based audio watermarking, Al-Haj A., +, *IAJIT July 2011 326-333*.

Root extraction

a markovian approach for arabic root extraction, Boudlal A., +, *IAJIT January 2011 91-98*.

Route request

a strategy to reduce the control packet load of AODV using weighted rough set model for MANET, Aitha N., +, *IAJIT January 2011 108-116*.

Routing algorithm

a new otis-arrangement interconnection network, Al-sadi J., +, *IAJIT October 2011 376-382*.

Routing protocols

distributed grid based robust clustering protocol for mobile sensor networks, Ali S., +, *IAJIT October 2011 414-421*.

Routing-process

self-organization and topology's control for mobile ad-hoc networks, Kef M., +, *IAJIT July 2011 227-234*.

Schema

an ontology-based semantic extraction approach for B2C ecommerce, Ghobadi A., +, *IAJIT April 2011 163-170*.

Search engine

build electronic arabic lexicon, El Abbadi N., +, *IAJIT April 2011 137-140*.

a novel mobile crawler system based on filtering off non-modified pages for reducing load on the network, Nath R., +, *IAJIT July 2011 272-279*.

Security

social Issues in wireless sensor networks with healthcare perspective, Al Ameen M., +, *IAJIT January 2011 52-58*.

data hiding based on contrast mapping using DNA medium, Mousa H., +, *IAJIT April 2011 147-154*.

Security

design and implementation of a fine-grained resource usage model for the android platform, Nauman M., +, *IAJIT October 2011 440-448*.

Segment-based processing

binary phoneme classification using fixed and adaptive segment-based neural network approach, Messikh L., +, *IAJIT January 2011 48-51*.

Selection framework

state of component models usage: justifying the need for a component model selection framework, Aris H., +, *IAJIT July 2011 310-317*.

Semantic correspondence

an ontology-based semantic extraction approach for B2C ecommerce, Ghobadi A., +, *IAJIT April 2011 163-170*.

Sentence alignment

improving the accuracy of english-arabic statistical sentence alignment, Salameh M., +, *IAJIT April 2011 171-177*.

SEU

a new fault injection approach to study the impact of bitflips in the configuration of SRAM-based FPGAs, Ziade H., +, *IAJIT April 2011 155-162*.

Signal segmentation

binary phoneme classification using fixed and adaptive segment-based neural network approach, Messikh L., +, *IAJIT January 2011 48-51*.

Similarity measure

effect of weight assignment in data fusion based information retrieval, Batri K., +, *IAJIT July 2011 244-250*.

a hierarchical K-NN classifier for textual data, Duwairi R., +, *IAJIT July 2011 251-259*.

Single-event transient

analysis of the soft error susceptibility and failure rate in logic circuits, AlQuraishi E., +, *IAJIT October 2011 388-396*.

Smart card

improved two-factor authenticated key exchange protocol, Wu S., +, *IAJIT October 2011 430-439*.

Social issues

social Issues in wireless sensor networks with healthcare perspective, Al Ameen M., +, *IAJIT January 2011 52-58*.

Soft error failure rate

analysis of the soft error susceptibility and failure rate in logic circuits, AlQuraishi E., +, *IAJIT October 2011 388-396*.

Soft error sensitization probability

analysis of the soft error susceptibility and failure rate in logic circuits, AlQuraishi E., +, *IAJIT October 2011 388-396*.

Soft error susceptibility

analysis of the soft error susceptibility and failure rate in logic circuits, AlQuraishi E., +, *IAJIT October 2011 388-396*.

Soft errors

analysis of the soft error susceptibility and failure rate in logic circuits, AlQuraishi E., +, *IAJIT October 2011 388-396*.

Software engineering education

end-to-end support for short-lived TCP flows in heterogeneous wired-cum-wireless networks: an analytical study, Samaneh H., +, *IAJIT April 2011 212-220*.

wavelet and optimal requantization methodology for lossy fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387*.

Sparse matrix data structures

blocked-based sparse matrix-vector multiplication on distributed memory parallel computers, Shahnaz R., +, *IAJIT April 2011 130-136*.

Speech morphing

speech segmentation in synthesized speech morphing using pitch shifting, Mousa A., *IAJIT April 2011 221-226*.

Speech recognition

malay isolated speech recognition using neural network: a work in finding number of hidden nodes and learning parameters, Salam M., +, *IAJIT October 2011 364-371*.

Speech synthesis

speech segmentation in synthesized speech morphing using pitch shifting, Mousa A., *IAJIT April 2011 221-226*.

Statistical natural language processing

improving the accuracy of english-arabic statistical sentence alignment, Salameh M., +, *IAJIT April 2011 171-177.*

Steganography

data hiding based on contrast mapping using DNA medium, Mousa H., +, *IAJIT April 2011 147-154.*

Stochastic bounds

stochastic bounds for microprocessor systems availability, Sbeity I., +, *IAJIT January 2011 84-90.*

Syllable

lossless text compression technique using syllable based morphology, Akman I., +, *IAJIT January 2011 66-74.*

System performance

AMI: an advanced endurance management technique for flash memory storage systems, Rizvi S., +, *IAJIT January 2011 39-47.*

Text categorization

a hierarchical K-NN classifier for textual data, Duwairi R., +, *IAJIT July 2011 251-259.*

Text compression

multilayer model for Arabic text compression, Awajan A., *IAJIT April 2011 188-196.*

Text compression technique

lossless text compression technique using syllable based morphology, Akman I., +, *IAJIT January 2011 66-74.*

Throughput

a flexible design of network devices using reconfigurable content addressable memory, Ali Q., *IAJIT July 2011 235-243.*

Topological properties

a new otis-arrangement interconnection network, Al-sadi J., +, *IAJIT October 2011 376-382.*

Topology

the chained-cubic tree interconnection network, Abdullah M., +, *IAJIT July 2011 334-343.*

Topology's control

self-organization and topology's control for mobile ad-hoc networks, Kef M., +, *IAJIT July 2011 227-234.*

Touch mode

evaluation for diaphragm's deflection for touch mode MEMS pressure sensors, Hezarjaribi Y., +, *IAJIT April 2011 141-146.*

Transform-domain watermarking

DWT-based audio watermarking, Al-Haj A., +, *IAJIT July 2011 326-333.*

Tree

the chained-cubic tree interconnection network, Abdullah M., +, *IAJIT July 2011 334-343.*

Trial and error method

malay isolated speech recognition using neural network: a work in finding number of hidden nodes and learning parameters, Salam M., +, *IAJIT October 2011 364-371.*

Two-factor

improved two-factor authenticated key exchange protocol, Wu S., +, *IAJIT October 2011 430-439.*

Validation

entropy as a measure of quality of XML schema document, Baski D., +, *IAJIT January 2011 75-83.*

Vector quantization

wavelet and optimal requantization methodology for lossy fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387.*

Vehicular ad hoc network

enhanced junction selection mechanism for routing protocol in VANETs, Bilal S., +, *IAJIT October 2011 422-429.*

Verification

design and implementation biometric access control system using fingerprint for restricted area based on gabor filter, El-sisi A., *IAJIT October 2011 355-363.*

Virtual labs

e-learning systems in virtual environment, Abdul-kader H., *IAJIT January 2011 23-29.*

Virtual reality

e-learning systems in virtual environment, Abdul-kader H., *IAJIT January 2011 23-29.*

Visualization

novel robust multilevel 3D visualization technique for web based GIS, Sherif M., +, *IAJIT January 2011 59-65.*

zest based visualization for requirements negotiation, Alharthi M., +, *IAJIT July 2011 318-325.*

Viterbi algorithm

a markovian approach for arabic root extraction, Boudlal A., +, *IAJIT January 2011 91-98.*

VoIP

network load and packet loss optimization during handoff using multi-scan approach, Saif A., +, *IAJIT January 2011 16-22.*

W3C XML schema language

entropy as a measure of quality of XML schema document, Baski D., +, *IAJIT January 2011 75-83.*

Wavelet

wavelet and optimal requantization methodology for lossy fingerprint compression, Muhsen Z., +, *IAJIT October 2011 383-387.*

Web attributes

rank-order weighting of web attributes for website evaluation, Saeid M., +, *IAJIT January 2011 30-38.*

Web quality

rank-order weighting of web attributes for website evaluation, Saeid M., +, *IAJIT January 2011 30-38.*

Web service e-learning

intelligent e-learning framework for practicing educational testing services, Turani A., +, *IAJIT October 2011 372-375.*

Weight assignment.

effect of weight assignment in data fusion based information retrieval, Batri K., +, *IAJIT July 2011 244-250.*

Weighted roughest

a strategy to reduce the control packet load of AODV using weighted rough set model for MANET, Aitha N., +, *IAJIT January 2011 108-116.*

Win-win model

zest based visualization for requirements negotiation, Alharthi M., +, *IJIT July 2011 318-325*.

Wireless sensor networks

social Issues in wireless sensor networks with healthcare perspective, Al Ameen M., +, *IJIT January 2011 52-58*.

distributed grid based robust clustering protocol for mobile sensor networks, Ali S., +, *IJIT October 2011 414-421*.

WLAN

network load and packet loss optimization during handoff using multi-scan approach, Saif A., +, *IJIT January 2011 16-22*.

Word alignment

improving the accuracy of english-arabic statistical sentence alignment, Salameh M., +, *IJIT April 2011 171-177*.

Word based compression

multilayer model for Arabic text compression, Awajan A., *IJIT April 2011 188-196*.

Word lexical form

multilayer model for Arabic text compression, Awajan A., *IJIT April 2011 188-196*.

X3D

e-learning systems in virtual environment, Abdul-kader H., *IJIT January 2011 23-29*.

XML Schema documents

entropy as a measure of quality of XML schema document, Baski D., +, *IJIT January 2011 75-83*.

Zest algorithm

zest based visualization for requirements negotiation, Alharthi M., +, *IJIT July 2011 318-325*.